
Sheet 1 of 20






Title: RECEPTOR DERIVED PEPTIDES AS MODULATORS OF RECEPTOR ACTIVITY

Investment OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937
Docket No.: 213542000101


Sheet 2 of 20

FIG. 2



Title: RECEPTOR DERIVED PEPTIDES AS MODULATORS OF RECEIVED ACTIVITY
Involved Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937
Docket No.: 213542000101
Sheet 3 of 20

FIG. 3



Title: RECEPTOR DERIVED PEPTIDES AS MODULATORS OF SECEPTOR ACTIVITY


entor: Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937

Docket No.: 213542000101

Sheet 4 of 20

FIG. 4

# EPO-Rp - promotes EPO-Receptor dimerization and association with JAK2




Title: RECEPTOR DERIVED PEPTIDES AS


Title: RECEPTOR DERIVED PEPTIDES AS MODULATORS OF RECEPTOR ACTIVITY
Inventor: Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937
Docket No.: 213542000101

Sheet 6 of 20

FIG. 6


Erythropoietin Derived Receptor derived Peptide (EPO-Rp) inhibits Internalization of the EPO-Receptor





Sheet 10 of 20


FIG. 10



ECEPTOR ACTIVITY
entor: Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937

Docket No.: 213542000101

Sheet 11 of 20



RECEPTOR ACTIVITY
Iventor: Lennart OLSSON and Tatjana NARANDA


Application No.: To Be Assigned - Continuation of 09/028,937


Docket No.: 213542000101

Sheet 12 of 20

FIG. 12

# LRp - enhances signaling through OB-R<sub>L</sub> Activation of STAT5






CEPTOR ACTIVITY
entor: Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937
Docket No.: 213542000101

Sheet 13 of 20

FIG. 13




POPTOR ACTIVITY
Or: Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937

Docket No.: 213542000101

Sheet 14 of 20

FIG. 14

### JAK2 activation by GHR.peptide



Growth Hormone (GH) = 10 nMGHR.peptide (P) =  $30 \mu\text{M}$  RESPITOR ACTIVITY
ILLER T: Lennart OLSSON and Tatjana NARANDA
Approaction No.: To Be Assigned - Continuation of 09/028,937


Docket No.: 213542000101

Sheet 15 of 20


#### FIG. 15

## GHR-peptide promotes tyrosyl phosphorylation of JAK2

#### Dose response



#### Time course



CEPTOR ACTIVITY


ntor: Lennart OLSSON and Tatjana NARANDA

Application No.: To Be Assigned - Continuation of 09/028,937

Docket No.: 213542000101

Sheet 16 of 20

FIG. 16




EPTOR ACTIVITY tor: Lennart OLSSON and Tatjana NARANDA Application No.: To Be Assigned - Continuation of 09/028,937


Docket No.: 213542000101

Sheet 17 of 20

FIG. 17

### Synergistic effect of GHRp on JAK2 activation





EPTOR ACTIVITY
tor: Lennart OLSSON and Tatjana NARANDA

Application No.: To Be Assigned - Continuation of 09/028,937


Docket No.: 213542000101


Harli allow they they they they they

Sheet 18 of 20

FIG. 18

# GHRp - enhances signaling through GH-R Activation of STAT5





RECEPTOR ACTIVITY
Inventor: Lennart OLSSON and Tatjana NARANDA


Application No.: To Be Assigned - Continuation of 09/028,937

Docket No.: 213542000101

Sheet 19 of 20

FIG. 19

### Synergistic effect of GHRp on STAT5 activation



CEPTOR ACTIVITY
Entor: Lennart OLSSON and Tatjana NARANDA
Application No.: To Be Assigned - Continuation of 09/028,937

Docket No.: 213542000101

Sheet 20 of 20

FIG. 20

Human Growth Hormone Receptor derived Peptide (hGH-Rp) inhibits selectively Internalization of the GH-Receptor

Control peptides derived from IGF-1R and Prolactin Receptor (PL) had no effect on hGH-R, but on IGF-1R and PL-R, respectively

